


Blue Sky Plan Orthodontics Report

Patient Name: Melissa Figueroa
 Date: Wednesday, 23 April 2025 1:55:30 PM
 Project Name: C:/Users/HP/Downloads/wetransfer_melissa-figueroa_2025-04-04_0147/Orthodontics Case - Melissa Figueroa2.bsb
 Limits: Biweekly
 Jaw Type: Mandible



Stage 0

Stage 1

IPR

Tooth	IPR
LL4/LL3	0.15 mm
LL2/LL1	0.15 mm
LR1/LR2	0.10 mm

Deviations

Tooth	Buccal/Lingual	Mesial/Distal	Extrude/Intrude	Buccal/Lingual	Mesial/Distal	Rotation	Pivot
LL6	-0.00 mm	0.00 mm	-0.02 mm	0.27 °	0.00 °	0.00 °	Tip
LL5	-0.01 mm	0.01 mm	-0.05 mm	1.01 °	0.01 °	0.42 °	Tip
LL4	0.00 mm	0.06 mm	0.00 mm	0.65 °	0.00 °	0.00 °	Tip
LL3	0.02 mm	-0.07 mm	0.01 mm	-0.07 °	0.32 °	1.09 °	Tip
LL2	0.03 mm	-0.00 mm	-0.05 mm	0.21 °	0.10 °	-0.27 °	Tip
LL1	0.02 mm	0.01 mm	-0.01 mm	0.00 °	0.00 °	1.06 °	Tip
LR1	0.01 mm	-0.00 mm	-0.01 mm	-0.16 °	0.02 °	-0.67 °	Tip
LR2	-0.00 mm	0.00 mm	-0.05 mm	0.22 °	0.00 °	0.00 °	Tip
LR3	0.00 mm	-0.08 mm	-0.02 mm	-0.02 °	0.34 °	-0.36 °	Tip
LR4	-0.00 mm	0.03 mm	-0.00 mm	0.12 °	0.00 °	0.24 °	Tip
LR5	-0.00 mm	0.03 mm	0.00 mm	0.13 °	0.01 °	0.40 °	Tip
LR6	-0.00 mm	0.01 mm	-0.01 mm	0.42 °	-0.00 °	0.00 °	Tip

Stage 2

Blue Sky Plan Orthodontics Report

IPR

Tooth	IPR
LL4/LL3	0.20 mm
LL3/LL2	0.10 mm
LL2/LL1	0.20 mm
LR1/LR2	0.15 mm
LR2/LR3	0.10 mm

Deviations

Tooth	Buccal/Lingual	Mesial/Distal	Extrude/Intrude	Buccal/Lingual	Mesial/Distal	Rotation	Pivot
LL6	-0.00 mm	0.01 mm	-0.04 mm	0.55 °	0.00 °	0.00 °	Tip
LL5	-0.01 mm	0.03 mm	-0.11 mm	2.01 °	0.04 °	0.84 °	Tip
LL4	0.00 mm	0.12 mm	0.00 mm	1.30 °	0.00 °	0.00 °	Tip
LL3	0.05 mm	-0.15 mm	0.02 mm	-0.14 °	0.63 °	2.19 °	Tip
LL2	0.07 mm	-0.01 mm	-0.10 mm	0.42 °	0.19 °	-0.54 °	Tip
LL1	0.04 mm	0.01 mm	-0.03 mm	0.00 °	-0.00 °	2.11 °	Tip
LR1	0.02 mm	-0.01 mm	-0.01 mm	-0.33 °	0.04 °	-1.35 °	Tip
LR2	-0.01 mm	0.00 mm	-0.11 mm	0.44 °	0.00 °	0.00 °	Tip
LR3	0.01 mm	-0.17 mm	-0.03 mm	-0.05 °	0.67 °	-0.71 °	Tip
LR4	-0.01 mm	0.06 mm	-0.00 mm	0.23 °	0.01 °	0.47 °	Tip
LR5	-0.01 mm	0.06 mm	0.00 mm	0.26 °	0.02 °	0.81 °	Tip
LR6	-0.00 mm	0.03 mm	-0.03 mm	0.84 °	-0.00 °	0.00 °	Tip

Stage 3

IPR

Tooth	IPR
LL4/LL3	0.30 mm
LL3/LL2	0.15 mm
LL2/LL1	0.25 mm
LL1/LR1	0.10 mm
LR1/LR2	0.25 mm
LR2/LR3	0.10 mm

Deviations

Tooth	Buccal/Lingual	Mesial/Distal	Extrude/Intrude	Buccal/Lingual	Mesial/Distal	Rotation	Pivot
LL6	-0.01 mm	0.01 mm	-0.06 mm	0.82 °	0.00 °	0.00 °	Tip
LL5	-0.02 mm	0.04 mm	-0.16 mm	3.02 °	0.07 °	1.26 °	Tip
LL4	0.00 mm	0.18 mm	0.00 mm	1.95 °	0.00 °	0.00 °	Tip
LL3	0.07 mm	-0.22 mm	0.03 mm	-0.22 °	0.95 °	3.28 °	Tip
LL2	0.10 mm	-0.01 mm	-0.16 mm	0.63 °	0.29 °	-0.80 °	Tip
LL1	0.05 mm	0.02 mm	-0.04 mm	-0.00 °	-0.00 °	3.17 °	Tip
LR1	0.03 mm	-0.01 mm	-0.02 mm	-0.49 °	0.05 °	-2.02 °	Tip
LR2	-0.01 mm	0.00 mm	-0.16 mm	0.66 °	0.00 °	0.00 °	Tip
LR3	0.01 mm	-0.25 mm	-0.05 mm	-0.08 °	1.01 °	-1.07 °	Tip
LR4	-0.01 mm	0.10 mm	-0.00 mm	0.35 °	0.01 °	0.71 °	Tip
LR5	-0.01 mm	0.09 mm	0.00 mm	0.39 °	0.02 °	1.21 °	Tip
LR6	-0.01 mm	0.04 mm	-0.04 mm	1.25 °	-0.00 °	0.00 °	Tip

Stage 4

Blue Sky Plan Orthodontics Report

IPR

Tooth	IPR
LL4/LL3	0.40 mm
LL3/LL2	0.20 mm
LL2/LL1	0.30 mm
LL1/LR1	0.15 mm
LR1/LR2	0.35 mm
LR2/LR3	0.15 mm
LR3/LR4	0.10 mm

Deviations

Tooth	Buccal/Lingual	Mesial/Distal	Extrude/Intrude	Buccal/Lingual	Mesial/Distal	Rotation	Pivot
LL6	-0.01 mm	0.01 mm	-0.08 mm	1.09 °	0.00 °	0.00 °	Tip
LL5	-0.02 mm	0.06 mm	-0.21 mm	4.03 °	0.10 °	1.68 °	Tip
LL4	0.00 mm	0.25 mm	0.00 mm	2.59 °	0.00 °	0.00 °	Tip
LL3	0.09 mm	-0.29 mm	0.03 mm	-0.31 °	1.26 °	4.38 °	Tip
LL2	0.13 mm	-0.01 mm	-0.21 mm	0.84 °	0.38 °	-1.07 °	Tip
LL1	0.07 mm	0.02 mm	-0.06 mm	-0.00 °	-0.00 °	4.23 °	Tip
LR1	0.04 mm	-0.01 mm	-0.03 mm	-0.66 °	0.07 °	-2.69 °	Tip
LR2	-0.02 mm	0.00 mm	-0.21 mm	0.88 °	0.00 °	0.00 °	Tip
LR3	0.01 mm	-0.33 mm	-0.06 mm	-0.11 °	1.34 °	-1.43 °	Tip
LR4	-0.01 mm	0.13 mm	-0.00 mm	0.47 °	0.02 °	0.95 °	Tip
LR5	-0.02 mm	0.12 mm	0.00 mm	0.51 °	0.03 °	1.62 °	Tip
LR6	-0.01 mm	0.06 mm	-0.06 mm	1.67 °	-0.00 °	0.00 °	Tip

Stage 5

IPR

Tooth	IPR
LL5/LL4	0.10 mm
LL4/LL3	0.45 mm
LL3/LL2	0.25 mm
LL2/LL1	0.40 mm
LL1/LR1	0.15 mm
LR1/LR2	0.40 mm
LR2/LR3	0.20 mm
LR3/LR4	0.10 mm

Deviations

Tooth	Buccal/Lingual	Mesial/Distal	Extrude/Intrude	Buccal/Lingual	Mesial/Distal	Rotation	Pivot
LL6	-0.01 mm	0.02 mm	-0.10 mm	1.36 °	0.00 °	0.00 °	Tip
LL5	-0.03 mm	0.07 mm	-0.27 mm	5.03 °	0.15 °	2.10 °	Tip
LL4	0.00 mm	0.31 mm	0.00 mm	3.24 °	0.00 °	0.00 °	Tip
LL3	0.12 mm	-0.37 mm	0.04 mm	-0.40 °	1.57 °	5.48 °	Tip
LL2	0.16 mm	-0.02 mm	-0.26 mm	1.05 °	0.47 °	-1.34 °	Tip
LL1	0.09 mm	0.03 mm	-0.07 mm	0.00 °	-0.00 °	5.28 °	Tip
LR1	0.05 mm	-0.01 mm	-0.03 mm	-0.82 °	0.08 °	-3.36 °	Tip
LR2	-0.02 mm	0.00 mm	-0.27 mm	1.10 °	0.00 °	0.00 °	Tip
LR3	0.01 mm	-0.41 mm	-0.08 mm	-0.14 °	1.68 °	-1.79 °	Tip
LR4	-0.01 mm	0.16 mm	-0.00 mm	0.58 °	0.02 °	1.19 °	Tip
LR5	-0.02 mm	0.15 mm	0.00 mm	0.64 °	0.04 °	2.02 °	Tip
LR6	-0.01 mm	0.07 mm	-0.07 mm	2.09 °	-0.00 °	0.00 °	Tip

Stage 6

Blue Sky Plan Orthodontics Report

IPR

Tooth	IPR
LL6/LL5	0.10 mm
LL5/LL4	0.10 mm
LL4/LL3	0.55 mm
LL3/LL2	0.30 mm
LL2/LL1	0.45 mm
LL1/LR1	0.20 mm
LR1/LR2	0.50 mm
LR2/LR3	0.20 mm
LR3/LR4	0.15 mm

Deviations

Tooth	Buccal/Lingual	Mesial/Distal	Extrude/Intrude	Buccal/Lingual	Mesial/Distal	Rotation	Pivot
LL6	-0.01 mm	0.02 mm	-0.12 mm	1.64 °	0.00 °	0.00 °	Tip
LL5	-0.03 mm	0.09 mm	-0.32 mm	6.04 °	0.20 °	2.52 °	Tip
LL4	0.00 mm	0.37 mm	0.00 mm	3.89 °	0.00 °	0.00 °	Tip
LL3	0.14 mm	-0.44 mm	0.05 mm	-0.50 °	1.88 °	6.57 °	Tip
LL2	0.20 mm	-0.02 mm	-0.31 mm	1.26 °	0.56 °	-1.61 °	Tip
LL1	0.11 mm	0.04 mm	-0.08 mm	0.00 °	-0.00 °	6.34 °	Tip
LR1	0.06 mm	-0.02 mm	-0.04 mm	-0.98 °	0.09 °	-4.04 °	Tip
LR2	-0.03 mm	0.00 mm	-0.32 mm	1.32 °	-0.00 °	-0.00 °	Tip
LR3	0.02 mm	-0.50 mm	-0.09 mm	-0.17 °	2.01 °	-2.15 °	Tip
LR4	-0.02 mm	0.19 mm	-0.00 mm	0.70 °	0.02 °	1.42 °	Tip
LR5	-0.03 mm	0.17 mm	0.00 mm	0.77 °	0.04 °	2.42 °	Tip
LR6	-0.01 mm	0.09 mm	-0.09 mm	2.51 °	-0.00 °	0.00 °	Tip

Stage 7

IPR

Tooth	IPR
LL6/LL5	0.10 mm
LL5/LL4	0.10 mm
LL4/LL3	0.60 mm
LL3/LL2	0.30 mm
LL2/LL1	0.50 mm
LL1/LR1	0.25 mm
LR1/LR2	0.60 mm
LR2/LR3	0.25 mm
LR3/LR4	0.15 mm

Deviations

Tooth	Buccal/Lingual	Mesial/Distal	Extrude/Intrude	Buccal/Lingual	Mesial/Distal	Rotation	Pivot
LL6	-0.01 mm	0.02 mm	-0.14 mm	1.91 °	0.00 °	0.00 °	Tip
LL5	-0.04 mm	0.10 mm	-0.37 mm	7.05 °	0.26 °	2.93 °	Tip
LL4	0.00 mm	0.43 mm	0.00 mm	4.54 °	0.00 °	0.00 °	Tip
LL3	0.17 mm	-0.52 mm	0.06 mm	-0.60 °	2.18 °	7.67 °	Tip
LL2	0.23 mm	-0.02 mm	-0.37 mm	1.48 °	0.66 °	-1.88 °	Tip
LL1	0.12 mm	0.04 mm	-0.10 mm	0.00 °	-0.00 °	7.40 °	Tip
LR1	0.07 mm	-0.02 mm	-0.05 mm	-1.15 °	0.09 °	-4.71 °	Tip
LR2	-0.03 mm	0.00 mm	-0.37 mm	1.54 °	-0.00 °	-0.00 °	Tip
LR3	0.02 mm	-0.58 mm	-0.11 mm	-0.21 °	2.35 °	-2.50 °	Tip
LR4	-0.02 mm	0.22 mm	-0.00 mm	0.81 °	0.02 °	1.66 °	Tip
LR5	-0.03 mm	0.20 mm	0.00 mm	0.90 °	0.04 °	2.83 °	Tip
LR6	-0.02 mm	0.10 mm	-0.10 mm	2.93 °	-0.00 °	0.00 °	Tip

Stage 8

Blue Sky Plan Orthodontics Report

IPR

Tooth	IPR
LL6/LL5	0.10 mm
LL5/LL4	0.10 mm
LL4/LL3	0.65 mm
LL3/LL2	0.35 mm
LL2/LL1	0.60 mm
LL1/LR1	0.30 mm
LR1/LR2	0.70 mm
LR2/LR3	0.30 mm
LR3/LR4	0.20 mm

Deviations

Tooth	Buccal/Lingual	Mesial/Distal	Extrude/Intrude	Buccal/Lingual	Mesial/Distal	Rotation	Pivot
LL6	-0.02 mm	0.03 mm	-0.15 mm	2.18 °	0.00 °	0.00 °	Tip
LL5	-0.04 mm	0.12 mm	-0.43 mm	8.05 °	0.32 °	3.35 °	Tip
LL4	0.00 mm	0.49 mm	0.00 mm	5.19 °	0.00 °	0.00 °	Tip
LL3	0.19 mm	-0.59 mm	0.07 mm	-0.71 °	2.49 °	8.77 °	Tip
LL2	0.26 mm	-0.02 mm	-0.42 mm	1.69 °	0.74 °	-2.15 °	Tip
LL1	0.14 mm	0.05 mm	-0.11 mm	0.00 °	-0.00 °	8.45 °	Tip
LR1	0.08 mm	-0.02 mm	-0.05 mm	-1.31 °	0.10 °	-5.38 °	Tip
LR2	-0.03 mm	0.00 mm	-0.43 mm	1.76 °	-0.00 °	-0.00 °	Tip
LR3	0.02 mm	-0.66 mm	-0.13 mm	-0.24 °	2.68 °	-2.86 °	Tip
LR4	-0.02 mm	0.26 mm	-0.00 mm	0.93 °	0.03 °	1.90 °	Tip
LR5	-0.03 mm	0.23 mm	0.00 mm	1.03 °	0.05 °	3.23 °	Tip
LR6	-0.02 mm	0.12 mm	-0.11 mm	3.34 °	-0.00 °	0.00 °	Tip

Stage 9

IPR

Tooth	IPR
LL6/LL5	0.10 mm
LL5/LL4	0.15 mm
LL4/LL3	0.70 mm
LL3/LL2	0.40 mm
LL2/LL1	0.70 mm
LL1/LR1	0.30 mm
LR1/LR2	0.75 mm
LR2/LR3	0.30 mm
LR3/LR4	0.20 mm

Deviations

Tooth	Buccal/Lingual	Mesial/Distal	Extrude/Intrude	Buccal/Lingual	Mesial/Distal	Rotation	Pivot
LL6	-0.02 mm	0.03 mm	-0.17 mm	2.46 °	0.00 °	0.00 °	Tip
LL5	-0.05 mm	0.13 mm	-0.48 mm	9.06 °	0.40 °	3.76 °	Tip
LL4	0.00 mm	0.55 mm	0.00 mm	5.84 °	0.00 °	0.00 °	Tip
LL3	0.21 mm	-0.66 mm	0.08 mm	-0.82 °	2.79 °	9.87 °	Tip
LL2	0.29 mm	-0.03 mm	-0.47 mm	1.90 °	0.83 °	-2.42 °	Tip
LL1	0.16 mm	0.06 mm	-0.13 mm	0.00 °	-0.00 °	9.51 °	Tip
LR1	0.09 mm	-0.02 mm	-0.06 mm	-1.48 °	0.10 °	-6.06 °	Tip
LR2	-0.04 mm	0.00 mm	-0.48 mm	1.98 °	-0.00 °	-0.00 °	Tip
LR3	0.03 mm	-0.74 mm	-0.14 mm	-0.28 °	3.02 °	-3.22 °	Tip
LR4	-0.03 mm	0.29 mm	-0.00 mm	1.05 °	0.03 °	2.14 °	Tip
LR5	-0.04 mm	0.26 mm	0.00 mm	1.16 °	0.05 °	3.64 °	Tip
LR6	-0.02 mm	0.13 mm	-0.13 mm	3.76 °	-0.00 °	0.00 °	Tip

Stage 10

Blue Sky Plan Orthodontics Report

IPR

Tooth	IPR
LL6/LL5	0.10 mm
LL5/LL4	0.15 mm
LL4/LL3	0.75 mm
LL3/LL2	0.45 mm
LL2/LL1	0.75 mm
LL1/LR1	0.35 mm
LR1/LR2	0.85 mm
LR2/LR3	0.35 mm
LR3/LR4	0.25 mm

Deviations

Tooth	Buccal/Lingual	Mesial/Distal	Extrude/Intrude	Buccal/Lingual	Mesial/Distal	Rotation	Pivot
LL6	-0.02 mm	0.03 mm	-0.19 mm	2.73 °	0.00 °	0.00 °	Tip
LL5	-0.05 mm	0.15 mm	-0.53 mm	10.06 °	0.48 °	4.18 °	Tip
LL4	0.00 mm	0.62 mm	0.00 mm	6.49 °	0.00 °	0.00 °	Tip
LL3	0.24 mm	-0.74 mm	0.09 mm	-0.94 °	3.09 °	10.97 °	Tip
LL2	0.33 mm	-0.03 mm	-0.52 mm	2.11 °	0.92 °	-2.69 °	Tip
LL1	0.18 mm	0.06 mm	-0.14 mm	0.00 °	-0.00 °	10.57 °	Tip
LR1	0.10 mm	-0.03 mm	-0.07 mm	-1.64 °	0.11 °	-6.73 °	Tip
LR2	-0.04 mm	0.00 mm	-0.53 mm	2.20 °	-0.00 °	-0.00 °	Tip
LR3	0.03 mm	-0.83 mm	-0.16 mm	-0.33 °	3.35 °	-3.58 °	Tip
LR4	-0.03 mm	0.32 mm	-0.00 mm	1.16 °	0.03 °	2.37 °	Tip
LR5	-0.04 mm	0.29 mm	0.00 mm	1.28 °	0.05 °	4.04 °	Tip
LR6	-0.02 mm	0.15 mm	-0.14 mm	4.18 °	-0.00 °	0.00 °	Tip

Stage 11

IPR

Tooth	IPR
LL6/LL5	0.10 mm
LL5/LL4	0.15 mm
LL4/LL3	0.80 mm
LL3/LL2	0.50 mm
LL2/LL1	0.85 mm
LL1/LR1	0.35 mm
LR1/LR2	0.90 mm
LR2/LR3	0.35 mm
LR3/LR4	0.25 mm

Deviations

Tooth	Buccal/Lingual	Mesial/Distal	Extrude/Intrude	Buccal/Lingual	Mesial/Distal	Rotation	Pivot
LL6	-0.02 mm	0.04 mm	-0.21 mm	3.00 °	0.00 °	0.00 °	Tip
LL5	-0.06 mm	0.16 mm	-0.59 mm	11.06 °	0.57 °	4.59 °	Tip
LL4	0.00 mm	0.68 mm	0.00 mm	7.13 °	0.00 °	0.00 °	Tip
LL3	0.26 mm	-0.81 mm	0.10 mm	-1.07 °	3.39 °	12.07 °	Tip
LL2	0.36 mm	-0.03 mm	-0.58 mm	2.33 °	1.01 °	-2.96 °	Tip
LL1	0.20 mm	0.07 mm	-0.15 mm	0.00 °	-0.00 °	11.62 °	Tip
LR1	0.11 mm	-0.03 mm	-0.08 mm	-1.81 °	0.11 °	-7.40 °	Tip
LR2	-0.05 mm	0.00 mm	-0.59 mm	2.42 °	-0.00 °	-0.00 °	Tip
LR3	0.03 mm	-0.91 mm	-0.17 mm	-0.37 °	3.69 °	-3.94 °	Tip
LR4	-0.03 mm	0.35 mm	-0.00 mm	1.28 °	0.03 °	2.61 °	Tip
LR5	-0.05 mm	0.32 mm	0.00 mm	1.41 °	0.05 °	4.45 °	Tip
LR6	-0.02 mm	0.16 mm	-0.16 mm	4.60 °	-0.00 °	0.00 °	Tip

Stage 12

Blue Sky Plan Orthodontics Report

IPR

Tooth	IPR
LL7/LL6	0.10 mm
LL6/LL5	0.10 mm
LL5/LL4	0.15 mm
LL4/LL3	0.80 mm
LL3/LL2	0.55 mm
LL2/LL1	0.90 mm
LL1/LR1	0.40 mm
LR1/LR2	0.95 mm
LR2/LR3	0.40 mm
LR3/LR4	0.30 mm

Deviations

Tooth	Buccal/Lingual	Mesial/Distal	Extrude/Intrude	Buccal/Lingual	Mesial/Distal	Rotation	Pivot
LL6	-0.02 mm	0.04 mm	-0.23 mm	3.27 °	0.00 °	0.00 °	Tip
LL5	-0.06 mm	0.18 mm	-0.64 mm	12.07 °	0.66 °	5.00 °	Tip
LL4	0.00 mm	0.74 mm	0.00 mm	7.78 °	0.00 °	0.00 °	Tip
LL3	0.28 mm	-0.88 mm	0.10 mm	-1.20 °	3.69 °	13.17 °	Tip
LL2	0.39 mm	-0.04 mm	-0.63 mm	2.54 °	1.09 °	-3.23 °	Tip
LL1	0.21 mm	0.07 mm	-0.17 mm	0.00 °	-0.00 °	12.68 °	Tip
LR1	0.12 mm	-0.03 mm	-0.08 mm	-1.97 °	0.10 °	-8.07 °	Tip
LR2	-0.05 mm	0.00 mm	-0.64 mm	2.64 °	-0.00 °	-0.00 °	Tip
LR3	0.03 mm	-0.99 mm	-0.19 mm	-0.42 °	4.02 °	-4.30 °	Tip
LR4	-0.03 mm	0.38 mm	-0.00 mm	1.40 °	0.03 °	2.85 °	Tip
LR5	-0.05 mm	0.35 mm	0.00 mm	1.54 °	0.05 °	4.85 °	Tip
LR6	-0.03 mm	0.18 mm	-0.17 mm	5.01 °	-0.00 °	0.00 °	Tip

Stage 13

IPR

Tooth	IPR
LL7/LL6	0.10 mm
LL6/LL5	0.10 mm
LL5/LL4	0.15 mm
LL4/LL3	0.80 mm
LL3/LL2	0.55 mm
LL2/LL1	0.95 mm
LL1/LR1	0.40 mm
LR1/LR2	0.95 mm
LR2/LR3	0.45 mm
LR3/LR4	0.30 mm

Deviations

Tooth	Buccal/Lingual	Mesial/Distal	Extrude/Intrude	Buccal/Lingual	Mesial/Distal	Rotation	Pivot
LL6	-0.03 mm	0.04 mm	-0.25 mm	3.55 °	0.00 °	0.00 °	Tip
LL5	-0.07 mm	0.19 mm	-0.69 mm	13.07 °	0.76 °	5.41 °	Tip
LL4	0.00 mm	0.80 mm	0.00 mm	8.43 °	0.00 °	0.00 °	Tip
LL3	0.31 mm	-0.96 mm	0.11 mm	-1.34 °	3.98 °	14.28 °	Tip
LL2	0.43 mm	-0.04 mm	-0.68 mm	2.76 °	1.18 °	-3.50 °	Tip
LL1	0.23 mm	0.08 mm	-0.18 mm	0.00 °	-0.00 °	13.73 °	Tip
LR1	0.13 mm	-0.03 mm	-0.09 mm	-2.14 °	0.10 °	-8.75 °	Tip
LR2	-0.06 mm	0.00 mm	-0.69 mm	2.86 °	-0.00 °	-0.00 °	Tip
LR3	0.04 mm	-1.08 mm	-0.21 mm	-0.46 °	4.36 °	-4.66 °	Tip
LR4	-0.04 mm	0.42 mm	-0.00 mm	1.51 °	0.03 °	3.09 °	Tip
LR5	-0.06 mm	0.38 mm	0.00 mm	1.67 °	0.05 °	5.25 °	Tip
LR6	-0.03 mm	0.19 mm	-0.19 mm	5.43 °	-0.00 °	0.00 °	Tip

Blue Sky Plan Orthodontics Report

Stage 14

IPR

Tooth	IPR
LL7/LL6	0.10 mm
LL5/LL4	0.15 mm
LL4/LL3	0.80 mm
LL3/LL2	0.60 mm
LL2/LL1	0.95 mm
LL1/LR1	0.45 mm
LR1/LR2	1.00 mm
LR2/LR3	0.45 mm
LR3/LR4	0.30 mm

Deviations

Tooth	Buccal/Lingual	Mesial/Distal	Extrude/Intrude	Buccal/Lingual	Mesial/Distal	Rotation	Pivot
LL6	-0.03 mm	0.05 mm	-0.27 mm	3.82 °	0.00 °	0.00 °	Tip
LL5	-0.07 mm	0.21 mm	-0.75 mm	14.07 °	0.87 °	5.81 °	Tip
LL4	0.00 mm	0.86 mm	0.00 mm	9.08 °	0.00 °	0.00 °	Tip
LL3	0.33 mm	-1.03 mm	0.12 mm	-1.49 °	4.27 °	15.38 °	Tip
LL2	0.46 mm	-0.04 mm	-0.73 mm	2.97 °	1.26 °	-3.77 °	Tip
LL1	0.25 mm	0.09 mm	-0.20 mm	0.00 °	-0.00 °	14.79 °	Tip
LR1	0.14 mm	-0.04 mm	-0.10 mm	-2.30 °	0.09 °	-9.42 °	Tip
LR2	-0.06 mm	0.00 mm	-0.75 mm	3.08 °	-0.00 °	-0.00 °	Tip
LR3	0.04 mm	-1.16 mm	-0.22 mm	-0.52 °	4.69 °	-5.02 °	Tip
LR4	-0.04 mm	0.45 mm	-0.00 mm	1.63 °	0.02 °	3.32 °	Tip
LR5	-0.06 mm	0.41 mm	0.00 mm	1.80 °	0.04 °	5.66 °	Tip
LR6	-0.03 mm	0.21 mm	-0.20 mm	5.85 °	-0.00 °	0.00 °	Tip

Stage 15

IPR

Tooth	IPR
LL7/LL6	0.10 mm
LL5/LL4	0.15 mm
LL4/LL3	0.85 mm
LL3/LL2	0.65 mm
LL2/LL1	0.95 mm
LL1/LR1	0.45 mm
LR1/LR2	1.05 mm
LR2/LR3	0.50 mm
LR3/LR4	0.35 mm

Deviations

Tooth	Buccal/Lingual	Mesial/Distal	Extrude/Intrude	Buccal/Lingual	Mesial/Distal	Rotation	Pivot
LL6	-0.03 mm	0.05 mm	-0.29 mm	4.09 °	0.00 °	0.00 °	Tip
LL5	-0.08 mm	0.22 mm	-0.80 mm	15.07 °	0.99 °	6.22 °	Tip
LL4	0.00 mm	0.92 mm	0.00 mm	9.73 °	0.00 °	0.00 °	Tip
LL3	0.36 mm	-1.11 mm	0.13 mm	-1.64 °	4.56 °	16.49 °	Tip
LL2	0.49 mm	-0.05 mm	-0.79 mm	3.19 °	1.34 °	-4.05 °	Tip
LL1	0.27 mm	0.09 mm	-0.21 mm	0.00 °	-0.00 °	15.85 °	Tip
LR1	0.15 mm	-0.04 mm	-0.10 mm	-2.46 °	0.09 °	-10.09 °	Tip
LR2	-0.06 mm	0.00 mm	-0.80 mm	3.31 °	-0.00 °	-0.00 °	Tip
LR3	0.04 mm	-1.24 mm	-0.24 mm	-0.57 °	5.02 °	-5.38 °	Tip
LR4	-0.04 mm	0.48 mm	-0.00 mm	1.75 °	0.02 °	3.56 °	Tip
LR5	-0.07 mm	0.44 mm	0.00 mm	1.93 °	0.04 °	6.06 °	Tip
LR6	-0.03 mm	0.22 mm	-0.21 mm	6.27 °	-0.00 °	0.00 °	Tip

Blue Sky Plan Orthodontics Report

Stage 16

IPR

Tooth	IPR
LL7/LL6	0.10 mm
LL5/LL4	0.15 mm
LL4/LL3	0.80 mm
LL3/LL2	0.65 mm
LL2/LL1	0.90 mm
LL1/LR1	0.50 mm
LR1/LR2	1.05 mm
LR2/LR3	0.50 mm
LR3/LR4	0.35 mm

Deviations

Tooth	Buccal/Lingual	Mesial/Distal	Extrude/Intrude	Buccal/Lingual	Mesial/Distal	Rotation	Pivot
LL6	-0.03 mm	0.05 mm	-0.31 mm	4.36 °	0.00 °	0.00 °	Tip
LL5	-0.08 mm	0.24 mm	-0.85 mm	16.07 °	1.11 °	6.62 °	Tip
LL4	0.00 mm	0.99 mm	0.00 mm	10.38 °	0.00 °	0.00 °	Tip
LL3	0.38 mm	-1.18 mm	0.14 mm	-1.79 °	4.84 °	17.59 °	Tip
LL2	0.52 mm	-0.05 mm	-0.84 mm	3.40 °	1.43 °	-4.32 °	Tip
LL1	0.28 mm	0.10 mm	-0.22 mm	0.00 °	-0.00 °	16.90 °	Tip
LR1	0.16 mm	-0.04 mm	-0.11 mm	-2.63 °	0.08 °	-10.77 °	Tip
LR2	-0.07 mm	0.00 mm	-0.85 mm	3.53 °	-0.00 °	-0.00 °	Tip
LR3	0.05 mm	-1.32 mm	-0.25 mm	-0.62 °	5.35 °	-5.75 °	Tip
LR4	-0.04 mm	0.51 mm	-0.00 mm	1.86 °	0.02 °	3.80 °	Tip
LR5	-0.07 mm	0.47 mm	0.00 mm	2.06 °	0.04 °	6.47 °	Tip
LR6	-0.04 mm	0.24 mm	-0.23 mm	6.69 °	-0.00 °	0.00 °	Tip

Stage 17

IPR

Tooth	IPR
LL7/LL6	0.10 mm
LL5/LL4	0.15 mm
LL4/LL3	0.80 mm
LL3/LL2	0.70 mm
LL2/LL1	0.95 mm
LL1/LR1	0.50 mm
LR1/LR2	1.00 mm
LR2/LR3	0.55 mm
LR3/LR4	0.40 mm

Deviations

Tooth	Buccal/Lingual	Mesial/Distal	Extrude/Intrude	Buccal/Lingual	Mesial/Distal	Rotation	Pivot
LL6	-0.03 mm	0.06 mm	-0.33 mm	4.64 °	0.00 °	0.00 °	Tip
LL5	-0.09 mm	0.25 mm	-0.91 mm	17.07 °	1.24 °	7.02 °	Tip
LL4	0.00 mm	1.05 mm	0.00 mm	11.03 °	0.00 °	0.00 °	Tip
LL3	0.40 mm	-1.25 mm	0.15 mm	-1.95 °	5.12 °	18.70 °	Tip
LL2	0.56 mm	-0.05 mm	-0.89 mm	3.62 °	1.51 °	-4.59 °	Tip
LL1	0.30 mm	0.10 mm	-0.24 mm	0.00 °	-0.00 °	17.96 °	Tip
LR1	0.17 mm	-0.04 mm	-0.12 mm	-2.79 °	0.07 °	-11.44 °	Tip
LR2	-0.07 mm	0.00 mm	-0.91 mm	3.75 °	-0.00 °	-0.00 °	Tip
LR3	0.05 mm	-1.41 mm	-0.27 mm	-0.68 °	5.69 °	-6.11 °	Tip
LR4	-0.05 mm	0.55 mm	-0.00 mm	1.98 °	0.02 °	4.04 °	Tip
LR5	-0.07 mm	0.50 mm	0.00 mm	2.18 °	0.03 °	6.87 °	Tip
LR6	-0.04 mm	0.25 mm	-0.24 mm	7.10 °	-0.00 °	0.00 °	Tip

Blue Sky Plan Orthodontics Report

Stage 18

IPR

Tooth	IPR
LL7/LL6	0.10 mm
LL5/LL4	0.15 mm
LL4/LL3	0.75 mm
LL3/LL2	0.70 mm
LL2/LL1	0.95 mm
LL1/LR1	0.50 mm
LR1/LR2	1.00 mm
LR2/LR3	0.55 mm
LR3/LR4	0.40 mm

Deviations

Tooth	Buccal/Lingual	Mesial/Distal	Extrude/Intrude	Buccal/Lingual	Mesial/Distal	Rotation	Pivot
LL6	-0.03 mm	0.06 mm	-0.35 mm	4.91 °	0.00 °	0.00 °	Tip
LL5	-0.09 mm	0.27 mm	-0.96 mm	18.07 °	1.38 °	7.42 °	Tip
LL4	0.00 mm	1.11 mm	0.00 mm	11.67 °	0.00 °	0.00 °	Tip
LL3	0.43 mm	-1.33 mm	0.16 mm	-2.12 °	5.40 °	19.81 °	Tip
LL2	0.59 mm	-0.05 mm	-0.94 mm	3.84 °	1.59 °	-4.86 °	Tip
LL1	0.32 mm	0.11 mm	-0.25 mm	0.00 °	-0.00 °	19.02 °	Tip
LR1	0.18 mm	-0.05 mm	-0.12 mm	-2.96 °	0.05 °	-12.11 °	Tip
LR2	-0.08 mm	0.00 mm	-0.96 mm	3.97 °	-0.00 °	-0.00 °	Tip
LR3	0.05 mm	-1.49 mm	-0.28 mm	-0.74 °	6.02 °	-6.47 °	Tip
LR4	-0.05 mm	0.58 mm	-0.00 mm	2.10 °	0.01 °	4.27 °	Tip
LR5	-0.08 mm	0.52 mm	0.00 mm	2.31 °	0.02 °	7.27 °	Tip
LR6	-0.04 mm	0.27 mm	-0.26 mm	7.52 °	-0.00 °	0.00 °	Tip

Stage 19

IPR

Tooth	IPR
LL7/LL6	0.10 mm
LL5/LL4	0.15 mm
LL4/LL3	0.70 mm
LL3/LL2	0.75 mm
LL2/LL1	0.90 mm
LL1/LR1	0.50 mm
LR1/LR2	0.95 mm
LR2/LR3	0.60 mm
LR3/LR4	0.45 mm

Deviations

Tooth	Buccal/Lingual	Mesial/Distal	Extrude/Intrude	Buccal/Lingual	Mesial/Distal	Rotation	Pivot
LL6	-0.04 mm	0.06 mm	-0.37 mm	5.18 °	0.00 °	0.00 °	Tip
LL5	-0.10 mm	0.28 mm	-1.01 mm	19.07 °	1.53 °	7.81 °	Tip
LL4	0.00 mm	1.17 mm	0.00 mm	12.32 °	0.00 °	0.00 °	Tip
LL3	0.45 mm	-1.40 mm	0.17 mm	-2.29 °	5.68 °	20.92 °	Tip
LL2	0.62 mm	-0.06 mm	-1.00 mm	4.05 °	1.66 °	-5.14 °	Tip
LL1	0.34 mm	0.12 mm	-0.27 mm	0.00 °	-0.00 °	20.07 °	Tip
LR1	0.19 mm	-0.05 mm	-0.13 mm	-3.12 °	0.04 °	-12.78 °	Tip
LR2	-0.08 mm	0.00 mm	-1.01 mm	4.19 °	-0.00 °	-0.00 °	Tip
LR3	0.05 mm	-1.57 mm	-0.30 mm	-0.80 °	6.35 °	-6.84 °	Tip
LR4	-0.05 mm	0.61 mm	-0.00 mm	2.21 °	0.01 °	4.51 °	Tip
LR5	-0.08 mm	0.55 mm	0.00 mm	2.44 °	0.02 °	7.68 °	Tip
LR6	-0.04 mm	0.28 mm	-0.27 mm	7.94 °	-0.00 °	0.00 °	Tip

Blue Sky Plan Orthodontics Report

Stage 20

IPR

Tooth	IPR
LL7/LL6	0.15 mm
LL5/LL4	0.10 mm
LL4/LL3	0.65 mm
LL3/LL2	0.75 mm
LL2/LL1	0.90 mm
LL1/LR1	0.55 mm
LR1/LR2	0.95 mm
LR2/LR3	0.60 mm
LR3/LR4	0.45 mm

Deviations

Tooth	Buccal/Lingual	Mesial/Distal	Extrude/Intrude	Buccal/Lingual	Mesial/Distal	Rotation	Pivot
LL6	-0.04 mm	0.07 mm	-0.39 mm	5.46 °	0.00 °	0.00 °	Tip
LL5	-0.10 mm	0.30 mm	-1.06 mm	20.06 °	1.68 °	8.21 °	Tip
LL4	0.00 mm	1.23 mm	0.00 mm	12.97 °	0.00 °	0.00 °	Tip
LL3	0.47 mm	-1.47 mm	0.17 mm	-2.47 °	5.95 °	22.03 °	Tip
LL2	0.66 mm	-0.06 mm	-1.05 mm	4.27 °	1.74 °	-5.41 °	Tip
LL1	0.36 mm	0.12 mm	-0.28 mm	0.00 °	-0.00 °	21.13 °	Tip
LR1	0.20 mm	-0.05 mm	-0.14 mm	-3.28 °	0.02 °	-13.46 °	Tip
LR2	-0.09 mm	0.00 mm	-1.07 mm	4.41 °	-0.00 °	-0.00 °	Tip
LR3	0.06 mm	-1.65 mm	-0.32 mm	-0.86 °	6.68 °	-7.20 °	Tip
LR4	-0.06 mm	0.64 mm	-0.00 mm	2.33 °	0.00 °	4.75 °	Tip
LR5	-0.09 mm	0.58 mm	0.00 mm	2.57 °	0.01 °	8.08 °	Tip
LR6	-0.04 mm	0.30 mm	-0.29 mm	8.36 °	-0.00 °	0.00 °	Tip

Stage 21

IPR

Tooth	IPR
LL7/LL6	0.15 mm
LL5/LL4	0.10 mm
LL4/LL3	0.60 mm
LL3/LL2	0.80 mm
LL2/LL1	0.90 mm
LL1/LR1	0.55 mm
LR1/LR2	0.95 mm
LR2/LR3	0.65 mm
LR3/LR4	0.45 mm

Deviations

Tooth	Buccal/Lingual	Mesial/Distal	Extrude/Intrude	Buccal/Lingual	Mesial/Distal	Rotation	Pivot
LL6	-0.04 mm	0.07 mm	-0.41 mm	5.73 °	0.00 °	0.00 °	Tip
LL5	-0.11 mm	0.31 mm	-1.12 mm	21.06 °	1.84 °	8.60 °	Tip
LL4	0.00 mm	1.29 mm	0.00 mm	13.62 °	0.00 °	0.00 °	Tip
LL3	0.50 mm	-1.55 mm	0.18 mm	-2.65 °	6.22 °	23.15 °	Tip
LL2	0.69 mm	-0.06 mm	-1.10 mm	4.49 °	1.82 °	-5.69 °	Tip
LL1	0.37 mm	0.13 mm	-0.29 mm	0.00 °	-0.00 °	22.19 °	Tip
LR1	0.21 mm	-0.05 mm	-0.14 mm	-3.45 °	0.00 °	-14.13 °	Tip
LR2	-0.09 mm	0.00 mm	-1.12 mm	4.63 °	-0.00 °	-0.00 °	Tip
LR3	0.06 mm	-1.74 mm	-0.33 mm	-0.93 °	7.01 °	-7.57 °	Tip
LR4	-0.06 mm	0.67 mm	-0.00 mm	2.44 °	-0.00 °	4.99 °	Tip
LR5	-0.09 mm	0.61 mm	0.00 mm	2.70 °	0.00 °	8.49 °	Tip
LR6	-0.05 mm	0.31 mm	-0.30 mm	8.78 °	-0.00 °	0.00 °	Tip